

























By means of simulation we validated the applicability of the proposed techniques. As expected, we obtained a faster rate of convergence when using the Quasi-Newton implementation. Based on simulation results, we also analyzed the availability of user position and the enhancement of performance that can be obtained if multiple GNSS system are integrated.

Issues as the existence and uniqueness of the solution in the multi-constellation case is a matter of discussion [5] and needs to be analyzed in more detail. The feasibility of implementing the proposed algorithms into a real-time GNSS receiver must also be analyzed.

## References

1. S. Gleason and D. Gebre-Egziabher. *GNSS Applications and Methods*. GNSS technology and applications series. Artech House, 2009.
2. Elliott D. Kaplan. *Understanding GPS: Principles & Applications*. Artech House, 1996.
3. S. Bancroft. An algebraic solution of the GPS equations. In *IEEE Transactions on Aerospace and Electronic Systems*, volume AES-21, pages 56–59, 1985.
4. J.L. Leva. An alternative closed-form solution to the GPS pseudo-range equations. *Aerospace and Electronic Systems, IEEE Transactions on*, 32(4):1430 –1439, oct 1996.
5. Jyh-Ching Juang and Yung Tsai. On exact solutions of the multi-constellation gnss navigation problem. *GPS Solutions*, 13:57–64, 2009.
6. J. Nocedal and S. J. Wright. *Numerical Optimization*. Springer, New York, second edition, 2007.
7. J.B.Y. Tsui. *Fundamentals Of Global Positioning System Receivers: A Software Approach*. Wiley Series in Microwave and Optical Engineering. John Wiley & Sons, Incorporated, 2004.